

高精度电容式油位传感器

CAPACITIVE FUEL LEVEL SENSOR

GLTV7



P 产品介绍

Product Introduction

GLTV7

GPS



P 产品特点

Product Features

- ◆ 1mm
- ◆
- ◆
- ◆
- ◆ SAE 5
- ◆
- ◆ GPS
- ◆

A 产品应用

Application

- ◆
- ◆
- ◆
- ◆
- ◆
- ◆


S 技术参数

Specification

项目	参数
	200~1500mm ( )
	: 0~5V 0.5~4.5V
	: RS232 RS485
	DC10-32V 10~32VDC
	1mm
	<15mA
	-40~+85
	5s/
	PVC ( P A )
	IP65
	AMP
	SAE 5 5 M5 2mm NBR
	2mm FPM

## 接线方式

Pin1( : VCC (10-32V)  
 Pin2( : V out 0.5-4.5V/0-3.3V/0-8V/0-5V/ RX)  
 Pin3( : GND  
 Pin4( : /RS232TX/RS485A  
 Pin5( :  
 Pin6( :






## 较准器

GLTV7

12V/23A

## D 外形尺寸 Dimensions



## T 产品选型 type selection

GLTV7	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	选型说明
	F							
		N						mm
			X					120~ 1500mm,
				P1				RS485
				P2				RS232
				P3				0.5~ 4.5VDC
				P4				0~ 5VDC
					V1			10~ 32VDC
					V2			5VDC
						T1		
						T2		
							J1	
							J2	